



#### What

M8300 is a complete fencing system of minimal design with a wide variety of louvers and gate option, which offers simple solutions for every need and aesthetics.








- to offer a fencing solution
- to add a qualitative system complementary to the aluminium architectural series (windows, doors, facades)
- to enrich the Outdoor product mix and corresponding business with more solutions







#### **Technical Characteristics**



#### Mullion


A sturdy mullion of "Z" shape for both-sided louver placement


Cover profiles to hide the fixation points

The cover profiles are available with single or both sided wings for hinged door and louver finishing (instead of caps)



# 120






#### **Technical Characteristics**

#### **Louvers**

- A variety of 5 different shape louvers
- Placed in front of the mullion (one, both-sided)
- Thicker at the fixing point
- Plastic end covers for each louver
- Alternatively, the cover profile with wing may be used






#### **Technical Characteristics**


#### **Anchorage**

- Sturdy
- 2D adjustable (height)
- Placed on both directions (vertically/parallel)
- With aluminium cover cap
- Symmetric with the column





#### **Technical Characteristics**



#### **Gate**

Single and double-leaf hinged gated


Louver placed on one side and both sides



## 1. Extensive variety in solutions

- 5 louver shapes
- Placed on one side or both sides
- Single and multiple constructions
- Available in all anodising and RAL shades





## 2. Elegance Sophisticated design

- Minimal design with surfaces and straight lines
- Concealed fixation points, aluminium anchorage cap, anchorage adjustability
- Plastic caps available in 3 colors, i.e. black, gray, brown (not only black)





#### 3. Sturdiness

- Robust column
- Sturdy anchorage
- Enhanced louver profile thickness at the fixation points

- 1,6m mullion to mullion distance
- 1,8m maximum height



#### 4. Easy installation

- Adjustable anchorage (2D)
- Simple construction
- Additional thickness at the screwing point
- Plastic caps available (an cover profile with wing)



### 5. Competitive Price

 Special production procedure which diminishes costs and price correspondingly

 Light profiles which keep price (€/m) comparatively low (mullion remains heavy for sturdiness reason)



## THANK YOU FOR YOUR ATTENTION